

NAME

git-qapplied – list applied entries from the patch queue series file

SYNOPSIS

git qapplied [-v | **--verbose**] [-s | **--summary**] [-1 | **--last**]

DESCRIPTION

The **git qapplied** command displays, in series order, the names of all patches which have been registered as members of the active **Git-MQ** patch series, *and* which are currently in the *applied* state, (i.e. all registered and applied patches, in series order, up to and including the topmost applied patch, as indicated by the **git qtop** command).

If the **--verbose** option is specified, the list is extended to include any *unapplied* patches which precede the topmost applied patch, in series order; each patch name is preceded by its sequence number in the series, and a single character flag, indicating its status, as described for the **git qseries** command.

If the **--summary** option is specified, the commit summary line, if available in the patch header, is displayed following each patch name.

If the **--last** option is specified, the output is reduced to the display of only the *one* patch, if any, which is the *applied* predecessor of the topmost applied patch; this is effectively equivalent to the output of the **git qprev** command.

OPTIONS

-1, --last

Show only the predecessor of the current topmost patch.

-s, --summary

Include summary lines from patch headers.

-v, --verbose

Show patch sequence numbers and status flags.

EXIT STATUS

On successful completion, **git qapplied** reports an exit status code of 0. Any non-zero exit status code indicates that an error occurred.

COMPARISON WITH MERCURIAL QUEUES

Inspired by, and for the most part based on behavioural observation of **Mercurial's MQ** extension, the **git qapplied** command exhibits fundamentally the same behaviour as its **hg qapplied** counterpart, *except* in the case when the **--last** option is specified, *and* the patch immediately the topmost is *guarded*; (see the **CAVEATS AND BUGS** section, below).

CAVEATS AND BUGS

The output, when using the **--last** option is not particularly useful; as implemented, it simply mimics the behaviour of the **git qprev** command, reporting the *most recently applied* predecessor of the topmost currently-applied patch. This differs from the behaviour of Mercurial's **hg qapplied --last** command, which reports information relating to the *immediate* predecessor of the topmost applied patch, *regardless* of whether that predecessor is *applied*, *unapplied*, or *guarded*, but (unhelpfully) displays nothing at all, if the **--verbose** option is not specified, when the predecessor is either *unapplied*, or *guarded*.

AUTHOR

Copyright (C) 2019, by Keith Marshall

This man page was written by Keith Marshall <keith@users.osdn.me>, to accompany the **Git-MQ** program suite. It is published under the terms of the GNU Free Documentation Licence, version 1.3, (or any later version published by the Free Software Foundation), with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

The **Git-MQ** program suite itself is distributed under the terms of the GNU General Public Licence, version 3, (or any later version published by the Free Software Foundation).

Copies of the GNU Free Documentation Licence, and of the GNU General Public Licence, are included

within the **Git-MQ** source distribution, in the files **FDL-1.3**, and **LICENCE**, respectively.

SEE ALSO

git-qprev(1), **git-qseries(1)**, **git-qtop(1)**, **git-qunapplied(1)**